

OVERVIEW: AVAILABLE SECOND HAND MACHINES

MAKE	TYPE	YEAR OF CONSTRUCTION	DESCRIPTION	REMARKS
Hamba Filltec	Cup Filler BF 5008/2 (Rotary machine)	1989	<p>Version: sealing and snap-on This 2-lane cup filler is equipped for the filling of round cups with an outer diameter of 95 mm. *Production output: approx. 34 strokes/min. i.e. approx. 4.000 cups/h Sequence of stations: - Cup separation - Filler - Lid station - Sealing station - Snap-on lid station - Lifting of cups and forwarding to the conveyor</p>	<p>In general the machine can be modified to enable the processing of round cups with different diameters. Price or further technical details are available on request!</p>

*** Important note:** The above mentioned figures of production output are given without obligation and cannot be confirmed before having received the final samples of packaging materials to be used on the machinery and the final samples of product(s) to be filled!

OVERVIEW: AVAILABLE SECOND HAND MACHINES

MAKE	TYPE	YEAR OF CONSTRUCTION	DESCRIPTION	REMARKS
Hamba Filltec	Lid Punching Unit 647-330	2000	Mechanical output : Between 100 and 250 strokes / min, Mounted tools: Double punching tools Embossing calender: Designed for "Mite Embossing" Electrical connection: 220/380 V - Three-Phase-Current	Price or further technical details are available on request!

*** Important note:** The above mentioned figures of production output are given without obligation and cannot be confirmed before having received the final samples of packaging materials to be used on the machinery and the final samples of product(s) to be filled!

OVERVIEW: AVAILABLE SECOND HAND MACHINES

MAKE	TYPE	YEAR OF CONSTRUCTION	DESCRIPTION	REMARKS
Hamba Filltec	Cup Filler BK 8008/8 P (Inline machine)	1991	Version: Sealing This 2 x 8-lane cup filler is equipped for the filling of round cups with an upper outer diameter of 68 mm. *Production output: Approx. 35 strokes/min i.e. approx. 33.600 cups/h Sequence of stations: - Cup pile supply - Cup station/ Cup separation - Cup control station - Cup decontamination by H ² O ² - 3 (three) Fillers - Lid station with heat-seal lid decontamination by H ² O ² - Sealing station - Cup lifting and forwarding to packer - integrated packer	Price or further technical details are available on request!

*** Important note:** The above mentioned figures of production output are given without obligation and cannot be confirmed before having received the final samples of packaging materials to be used on the machinery and the final samples of product(s) to be filled!

OVERVIEW: AVAILABLE SECOND HAND MACHINES

MAKE	TYPE	YEAR OF CONSTRUCTION	DESCRIPTION	REMARKS
Hamba Filltec	Cup filler BK 8006/6 P (Inline machine)	1991	<p>Version: Sealing</p> <p>This 2 x 6-lane cup filler is equipped for the filling of round cups with an upper outer diameter of 95 mm.</p> <p>*Production output: Approx. 35 strokes/min i.e. approx. 25.200 cups/h</p> <p>Sequence of stations:</p> <ul style="list-style-type: none"> - Cup station/ Cup separation - Cup control station - Cup decontamination by H²O² <ul style="list-style-type: none"> - 1 (one) filler - Lid station with heat-seal lid decontamination by H²O² <ul style="list-style-type: none"> - Sealing station - Cup lifting and forwarding to packer <ul style="list-style-type: none"> - integrated packer 	Price or further technical details are available on request!

*** Important note:** The above mentioned figures of production output are given without obligation and cannot be confirmed before having received the final samples of packaging materials to be used on the machinery and the final samples of product(s) to be filled!